





1991+



50+





EXPORT

CULTIVATORS

KUS	8
TOP	10
SPEC HD	12
RHINO	16
SUPER	18
FRONT	20

SUBSOILERS

MGX	24
MG	26
MGP	28
MGVS	30
GROT	32

DISC HARROWS

TAL-C	38
TAL-K	40
TAL-R	42
GAL-E	44
GAL-C	46
GAL-S	50
GAL-M	52
GAL-K	54
GAL-K HD	58
SAL	62
BTH	66
WN / WN TANDEM	68
WN TANDEM HD	70



PLUGHS

FEN	74
ORKAN	76

PRESOWING-SOWING

MWC / MWW	80
MCB / MCW	82
STAR	86
BEST	88
FLEX	90
SEEDERS	92

GRASSLAND & IMPLEMENTS

EKO-WIR	96
HYBRO	98
EKO-FINGER	100
MBS	102
IMPLEMENTS	104

OPTIONAL EQUIPMENT

OPTIONAL EQUIPMENT	109
ROLLER WEIGHTS	118


Before placing an order, please check the validity of the price list. The presented price offer is valid for orders placed from 1/01/2023. The manufacturer reserves the right to change prices, construction, assembly, technical parameters and other physical characteristics of the machines. The machines shown in the pictures may differ from the standard version.





FARM CULTIVATORS





SHEAR BOLT PROTECTION
(KUS-B)

BORDER DISCS (OPTION)

TWO BANKS OF
5-ELEMENT TINE
ASSEMBLIES

18" NOTCHED DISCS

24" V-RING ROLLER WITH
PADDLES (OPTION)

KUS 3,0 B



KUS




		WIDTH			PC	PC	HP	LB	PRICE
0500	KUS 2,2 B	7'3" (2.20m)	-	-	5	4	60	625	\$5 850
0505	KUS 2,2 S	7'3" (2.20m)	-	+	5	4	70	835	\$8 290
0510	KUS 2,6 B	8'6" (2.60m)	-	-	6	5	80	756	\$6 995
0515	KUS 2,6 S	8'6" (2.60m)	-	+	6	5	90	932	\$9 000
0520	KUS 3,0 B	9'11" (3.00m)	-	-	7	6	100	809	\$7 895
0525	KUS 3,0 S	9'11" (3.00m)	-	+	7	6	110	1196	\$10 540
0570	KUS 3,8 B	12'6" (3.80m)	-	-	9	8	140	1197	\$11 910
0575	KUS 3,8 S	12'6" (3.80m)	-	+	9	8	150	1622	\$16 955
0530	KUS 3,8 BH	12'6" (3.80m)	+	-	9	8	150	1552	\$12 900
0535	KUS 3,8 SH	12'6" (3.80m)	+	+	9	8	160	1934	\$17 845
0540	KUS 4,8 BH	15'9" (4.80m)	+	-	11	10	160	1794	\$16 880
0545	KUS 4,8 SH	15'9" (4.80m)	+	+	11	10	170	1953	\$20 110
0550	KUS 5,6 BH	18'4" (5.60m)	+	-	13	12	200	1990	\$20 995
0555	KUS 5,6 SH	18'4" (5.60m)	+	+	13	12	210	2482	\$26 930

OPTIONAL EQUIPLENT (SURCHARGE)	2,20	2,60	3,00	3,80	4,80	5,60
Border discs (set)	\$675					
Hitch bar	\$180					
Inner spring (set)	\$175	\$210	\$280	\$350	\$420	\$505
21" Tubular roller	\$1 470	\$1 630	\$1 760	\$3 255	\$3 545	\$3 925
24" Tubular roller	\$1 650	\$1 830	\$2 085	\$3 700	\$4 135	\$4 510
21" Tubular roller + 16" String roller	\$3 240	\$3 730	\$4 055	\$6 160	\$6 975	\$8 180
24" T-ring roller	\$2 365	\$2 735	\$3 085	\$4 305	\$5 190	\$6 065
24" V-ring roller	\$2 120	\$2 440	\$2 745	\$3 985	\$4 760	\$5 470
24" V-ring roller with paddles	\$2 245	\$2 585	\$2 910	\$4 205	\$5 020	\$5 745
24" C-ring roller	\$2 520	\$2 915	\$3 295	\$4 575	\$5 525	\$6 455
24" C-ring Tandem roller	\$3 020	\$3 485	\$3 945	\$5 495	\$6 625	\$7 740
24" C-ring Tandem HD roller	\$3 175	\$3 750	\$4 330	\$5 775	\$6 925	\$8 085
22" Spring roller	\$4 525	\$5 330	\$6 115	\$8 310	\$9 905	\$11 560
24" Packer roller	\$2 810	\$3 245	\$3 655	\$5 355	\$6 195	\$7 235
20" Rubber roller	\$5 280	\$6 160	\$7 010	\$9 840	\$11 575	\$13 515
24" Disc roller	\$4 545	\$5 310	\$6 075	\$8 410	\$9 940	\$11 590
Tine cultivator in front of roller (BPPW)	\$930	\$1 040	\$1 155	\$2 185	\$2 405	\$2 645
Tine cultivator behind roller (BPZW)	\$1 110	\$1 245	\$1 390	\$2 485	\$2 770	\$3 090
LED lights	\$710					
Hydraulic working depth adjustment (HRGP)	\$1 745			\$3 500		

Attention! The basic price does not include the roller.
Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 90
Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl



SHEAR BOLT PROTECTION (TOP-B)



24" V-RING ROLLER WITH PADDLES (OPTION)

32" UNDER FRAME CLEARANCE

BORDER DISCS RANGE ADJUSTMENT

MAINTENANCE FREE HUBS

TOP 3,0




Attention! The basic price does not include the roller. Option prices do not apply as a spare part prices. Possible surcharge for packaging.

#	TOP							
		WIDTH		PC	PC	HP**	LB	PRICE
0771	TOP 2,5	8'2" (2.50m)	-	9	6	105	920	\$9 245
0770	TOP 2,5	8'2" (2.50m)	-	11	8	120	1062	\$9 915
0725	TOP 3,0	9'11" (3.00m)	-	10	8	120	1078	\$10 470
0780	TOP 3,0	9'11" (3.00m)	-	13	10	150	1174	\$11 195
0730	TOP 4,0 H	13'1" (4.00m)	+	13	10	160	1777	\$17 645
0790	TOP 4,0 H	13'1" (4.00m)	+	17	12	200	1933	\$19 535
0735	TOP 4,8H	15'9" (4.80m)	+	16	12	190	2085	\$22 150
0765	TOP 4,8H	15'9" (4.80m)	+	22	16	300	2136	\$25 315
0776	TOP 2,5 S	8'2" (2.50m)	-	9	6	120	1238	\$13 065
0775	TOP 2,5 S	8'2" (2.50m)	-	11	8	140	1298	\$13 900
0750	TOP 3,0 S	9'11" (3.00m)	-	10	8	140	1360	\$14 985
0785	TOP 3,0 S	9'11" (3.00m)	-	13	10	180	1575	\$16 635
0755	TOP 4,0 SH	13'1" (4.00m)	+	13	10	180	2390	\$25 115
0795	TOP 4,0 SH	13'1" (4.00m)	+	17	12	240	2669	\$27 475
0760	TOP 4,8 SH	15'9" (4.80m)	+	16	12	220	2705	\$26 200
0796	TOP 6,0 SH *	19'8" (6.00m)	+	20	15	300	5010	\$57 140

* machine with an netintegrated transport chassis ** minimum power requirement for working at 4-5" depth

OPTIONAL EQUIPLENT (SURCHARGE)	2,50/9	2,50/11	3,00/10	3,00 /13	4,00/13	4,00/17	4,80 /16	4,80/22	6,00/20
Share point H (set)	\$410	\$500	\$455	\$595	\$595	\$775	\$725	\$1 000	\$910
1.6" Reversible Chisel share (set)	\$535	\$650	\$595	\$775	\$775	\$1 005	\$950	\$1 305	\$1 185
Transport chassis	\$10 615								STANDARD
Transport chassis with braked axle	\$12 175								\$1 515
Disc section with rubber suspension	\$525	\$525	\$625	\$625	\$835	\$835	\$1 000	\$1 000	\$1 255
21" Tubular roller	\$1 630	\$1 630	\$1 760	\$1 760	\$3 255	\$3 255	\$3 545	\$3 545	\$4 025
24" Tubular roller	\$1 830	\$1 830	\$2 085	\$2 085	\$3 700	\$3 700	\$4 135	\$4 135	\$4 700
21" Tubular roller + 16" String roller	\$3 730	\$3 730	\$4 055	\$4 055	\$6 160	\$6 160	\$6 975	\$6 975	\$8 690
24" T-ring roller	\$2 735	\$2 735	\$3 085	\$3 085	\$4 305	\$4 305	\$5 190	\$5 190	\$6 450
24" V-ring roller	\$2 440	\$2 440	\$2 745	\$2 745	\$3 985	\$3 985	\$4 760	\$4 760	\$5 775
24" V-ring roller with paddles	\$2 585	\$2 585	\$2 910	\$2 910	\$4 205	\$4 205	\$5 020	\$5 020	\$6 115
24" C-ring roller	\$2 915	\$2 915	\$3 295	\$3 295	\$4 575	\$4 575	\$5 525	\$5 525	\$6 875
24" C-ring Tandem roller	\$3 485	\$3 485	\$3 945	\$3 945	\$5 495	\$5 495	\$6 625	\$6 625	\$8 235
24" C-ring Tandem HD roller	\$3 750	\$3 750	\$4 330	\$4 330	\$5 775	\$5 775	\$6 925	\$6 925	\$8 660
22" Spring roller	\$5 330	\$5 330	\$6 115	\$6 115	\$8 310	\$8 310	\$9 905	\$9 905	\$12 360
24" Packer roller	\$3 245	\$3 245	\$3 655	\$3 655	\$5 355	\$5 355	\$6 195	\$6 195	\$7 695
20" Rubber roller	\$6 160	\$6 160	\$7 010	\$7 010	\$9 840	\$9 840	\$11 575	\$11 575	\$14 415
24" Disc roller	\$5 310	\$5 310	\$6 075	\$6 075	\$8 410	\$8 410	\$9 940	\$9 940	\$12 390
Tine cultivator behind roller (BPZW)	\$1 245	\$1 245	\$1 390	\$1 390	\$2 485	\$2 485	\$2 770	\$2 770	\$3 250
LED lights	\$710								
LED lights for transport chassis	\$1 170								
Hydraulic working depth adjustment (HRGP)					\$1 745			\$3 500	

Seeders and seeder brackets - page 90
 Option descriptions & pictures - page 106-113
 Detailed information about the options and their application can be found at www.mandam.com.pl



DOUBLE SPRING PROTECTION

21" TUBULAR ROLLER (OPTION)

MAINTENANCE FREE HUBS

UNDER FRAME CLEARANCE 800 MM



CURVED TINE

BORDER DISCS RANGE ADJUSTMENT

SPEC HD 3,0



SPEC HD





#	SPEC HD	WIDTH		PC	PC	HP**	LB	PRICE
6815	SPEC HD 2,50	8'2" (2.50m)	-	8	7	110	1319	\$14 075
6800	SPEC HD 3,00	9'11" (3.00m)	-	10	8	130	1505	\$16 890
6805	SPEC HD 4,00 H	13'1" (4.00m)	+	13	10	180	2520	\$29 765
6820	SPEC HD 4,80 H*	15'9" (4.80m)	+	16	12	220	3365	\$52 605

* machine with an netintegrated transport chassis ** minimum power requirement for working at 4-5" depth

OPTIONAL EQUIPLENT (SURCHARGE)	2,50	3,00	4,00	4,80
Transport chassis		\$10 615		standard
Transport chassis with braked axle		\$12 175		\$1 510
Share point H (set)	\$360	\$455	\$590	\$730
Share point DX (set)	\$680	\$850	\$1 110	\$1 360
Share point DHD (set)	\$1 160	\$1 445	\$1 880	\$2 315
1.6" Reversible Chisel share (set)	\$915	\$1 140	\$1 485	\$1 825
Disc section with rubber suspension	\$525	\$625	\$835	\$1 000
21" Tubular roller	\$1 630	\$1 760	\$3 255	\$3 185
24" Tubular roller	\$1 830	\$2 085	\$3 700	\$3 565
21" Tubular roller + 16" String roller	\$3 730	\$4 055	\$6 160	\$7 220
24" T-ring roller	\$2 735	\$3 085	\$4 305	\$5 280
24" V-ring roller	\$2 440	\$2 745	\$3 985	\$4 715
24" V-ring roller with paddles	\$2 585	\$2 910	\$4 205	\$5 005
24" C-ring roller	\$2 915	\$3 295	\$4 575	\$5 635
24" C-ring Tandem roller	\$3 485	\$3 945	\$5 495	\$6 740
24" C-ring Tandem HD roller	\$3 750	\$4 330	\$5 720	\$6 925
22" Spring roller	\$5 330	\$6 115	\$8 310	\$10 255
24" Packer roller	\$3 245	\$3 655	\$5 355	\$6 270
20" Rubber roller	\$6 160	\$7 010	\$9 840	\$11 875
24" Disc roller	\$5 310	\$6 075	\$8 410	\$10 240
Tine cultivator behind roller (BPZW)	\$1 245	\$1 390	\$2 485	\$2 420
LED lights		\$710		
LED lights for transport chassis			\$1 170	
Hydraulic working depth adjustment (HRGP)		\$1 745	\$3 500	standard

Attention! The basic price does not include the roller.
Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 90
Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl



4 BANKS OF TINES

DOUBLE SPRING PROTECTION

HYDRAULIC WORKING DEPTH ADJUSTMENT (HRGP)

FRONT SUPPORT WHEELS

MAINTENANCE FREE HUBS


24" C-RING TANDEM ROLLER (OPTION)



#	RHINO							
		WIDTH		PC	PC	HP**	LB	PRICE
6450	RHINO 4,0 H	13'1" (4.00m)	+	15	10	240	6398	\$62 505
6455	RHINO 6,0 H	19'8" (6.00m)	+	21	12	320	6829	\$93 450

** minimum power requirement for working at 4-5" depth

OPTIONAL EQUIPLENT (SURCHARGE)		4,00	6,00
	Share point H (set)	\$685	\$955
	Share point DX (set)	\$1 275	\$1 785
	Share point DHD (set)	\$2 175	\$3 040
	1.6" Reversible Chisel share (set)	\$1 705	\$2 390
	24" Tubular roller	\$3 295	\$4 165
	24" T-ring roller	\$4 395	\$6 170
	24" V-ring roller	\$3 945	\$5 490
	24" V-ring roller with paddles	\$4 185	\$5 820
	24" C-ring roller	\$4 690	\$6 590
	24" C-ring Tandem roller	\$5 630	\$7 880
	24" C-ring Tandem HD roller	\$6 115	\$8 660
	22" Spring roller	\$9 045	\$12 240
	24" Packer roller	\$5 620	\$7 310
	20" Rubber roller	\$10 565	\$14 025
	24" Disc roller	\$8 410	\$12 390
	Tine cultivator behind roller (BPZW)	\$2 210	\$2 775
	LED lights		\$710



Attention! The basic price does not include the roller.
Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl

SUPER



HYDRAULIC WORKING
DEPTH ADJUSTMENT (HRGP)

HYDRAULIC-MECHANICAL
TRANSPORT LOCKOUT (HBS)

24" V-RING
ROLLER (OPTION)

4 BANKS OF 2.7" TINES
WITH 7" SWEEPS

SUPER 6,0 H



#	SUPER						
		WIDTH		PC	HP	LB	PRICE
2125	SUPER 3,0	9'11" (3.00m)	-	21	80	735	\$11 890
2130	SUPER 4,0 H	13'1" (4.00m)	+	26	100	1556	\$17 640
2135	SUPER 5,0 H	16'5" (5.00m)	+	33	120	1730	\$22 055
2140	SUPER 6,0 H	19'8" (6.00m)	+	37	140	1972	\$26 465

OPTIONAL EQUIPLENT (SURCHARGE)	3,00	4,00	5,00	6,00
8" Sweeps (set)	\$90	\$110	\$150	\$165
All X share (set)	\$1 300	\$1 610	\$2 040	\$2 290
21" Tubular roller	\$1 760	\$3 255	\$3 730	\$3 845
24" Tubular roller	\$2 085	\$3 700	\$4 260	\$4 760
21" Tubular roller + 16" String roller	\$4 055	\$6 160	\$7 880	\$9 060
24" T-ring roller	\$3 085	\$4 305	\$5 530	\$6 590
24" V-ring roller	\$2 745	\$3 985	\$5 000	\$5 920
24" V-ring roller with paddles	\$2 910	\$4 205	\$5 260	\$6 280
24" C-ring roller	\$3 295	\$4 575	\$5 880	\$7 040
20" Rubber roller	\$7 010	\$9 840	\$12 690	\$14 610
24" Disc roller	\$6 075	\$8 410	\$10 835	\$12 390
Tine cultivator in front of roller (BPPW)	\$1 155	\$2 185	\$2 545	\$2 705
LED lights	\$710			

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.




Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl

FRONT



FRONT



#	FRONT						
		WIDTH		PC	HP	LB	PRICE
4750	FRONT 3,0	9'11" (3.00m)	-	11	70	685	\$6 065
4755	FRONT 3,5	11'6" (3.50m)	-	12	80	700	\$7 075
4760	FRONT 4,0	13'1" (4.00m)	-	13	110	1000	\$8 085
4765	FRONT 4,0 H	13'1" (4.00m)	+	13	110	1195	\$10 095
4770	FRONT 4,5 H	14'9" (4.50m)	+	15	120	1280	\$11 365
4775	FRONT 5,0 H	16'5" (5.00m)	+	17	130	1370	\$12 625
4780	FRONT 6,0 H	19'8" (6.00m)	+	21	150	1445	\$15 145



FRONT





SUBSOILERS





24" V-RING ROLLER (OPTION)

BOLT-ON ROLLER BRACKET (OPTION)

ADJUSTABLE TINE SPACING

X TINE WITH REPLACEABLE SHIN BLADE (OPTION)

MGX



DRAIN WEIGHT WITH A CHAIN

#	MGX						
		WIDTH		PC	HP	LB	PRICE***
4800	MGX 2200 (FRAME ONLY)*	0,75-7'3" (2.20m)	-	2/3	120	310	\$2 355
4810	MGX 3000 (FRAME ONLY)*	5'11" (1.80m)-9'11" (3.00m)	-	4/5	180	360	\$3 195


OPTIONAL EQUIPLET (SURCHARGE)		MGX 2200	MGX 3000
Standard tine with bracket and 7.5" wide share point (set)			\$1 375
X tine with bracket and 7.5" wide share point (set)			\$1 730
4" Narrow share point (pc)			standard
4" Narrow hardened share point (pc)			\$105
7.5" Wide hardened share point (pc)			\$125
7.5" Wide hardened share point with carbide plate (pc)			\$210
Knife share point (pc)			\$280
21" Tubular roller **		\$2 095	\$2 390
24" Tubular roller**		\$2 200	\$2 635
24" T-ring roller**		\$2 925	\$3 850
24" V-ring roller**		\$2 900	\$3 560
24" V-ring roller with paddles**		\$2 985	\$3 730
24" C-ring roller**		\$3 235	\$4 215
Drain weight with a chain (pc)			\$85
LED lights			\$710

** price includes roller and roller arms with brackets *** frame only, no tines


*how to build MGX subsoiler:

1. Choose frame width / tine spacing
2. Choose number of tiner. Choode tine and type (standard or X)
3. Choose roller or other options

Attention! The basic price does not include the roller. Possible surcharge for packaging.



Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl



1.2" THICK TINE WITH SHEAR BOLT PROTECTION

21" TUBULAR ROLLER (OPTION)

7.5" WIDE HARDENED SHARE POINT

MG3 1800 WITH A ROLLER




#	MG						
		WIDTH		PC	HP	LB	PRICE
2545	MG 1 1000	3'4" (1.00m)	-	1	60	272	\$3 110
2500	MG 2 1500	4'11" (1.50m)	-	2	80	463	\$4 410
2535	MG 2 1600	5'3" (1.60m)	-	2	80	416	\$4 430
2505	MG 2 1800	5'11" (1.80m)	-	2	80	470	\$4 465
2510	MG 2 2000	6'7" (2.00m)	-	2	80	442	\$4 705
2515	MG 2 2200	7'3" (2.20m)	-	2	80	495	\$4 745
2520	MG 3 1800	5'11" (1.80m)	-	3	120	585	\$5 550
2525	MG 3 2000	6'7" (2.00m)	-	3	120	595	\$5 635
2530	MG 4 3000	9'11" (3.00m)	-	4	160	775	\$7 290
2540	MG 5 3000	9'11" (3.00m)	-	5	200	870	\$8 240

OPTIONAL EQUIPLENT (SURCHARGE)	1,00	1,50	1,60	1,80	2,00	2,20	3,00
Drain weight with a chain (pc)				\$85			
X tine with bracket and 7.5" wide share point (set)				\$595			
4" Narrow share point (pc)							
4" Narrow hardened share point (pc)				\$105			
7.5" Wide hardened share point (pc)				\$125			
Narrow share point (pc)				\$280			
21" Tubular roller *		\$1 840	\$1 920	\$1 975	\$2 005	\$2 080	\$2 355
24" Tubular roller *		\$1 975	\$2 020	\$2 060	\$2 120	\$2 135	\$2 570
24" T-ring roller *		\$2 790	\$2 830	\$2 880	\$2 950	\$3 000	\$3 715
24" V-ring roller *		\$2 670	\$2 685	\$2 730	\$2 790	\$2 815	\$3 440
24" V-ring roller with paddles *		\$2 710	\$2 730	\$2 770	\$2 830	\$2 850	\$3 520
24" C-ring roller *		\$2 910	\$2 970	\$3 025	\$3 055	\$3 100	\$3 875
LED lights				\$710			

* roller arms included

Attention! Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl



SEEDER COMPRESSION TUNBACKLE LINK

PROFILED TINE WITH A REVERSIBLE SHARE

DRAFT LINKS







MGP6 3000



HYDRAULIC DRAFT LINKS WITH HOOKS (MGPH)



MECHANICAL DRAFT LINKS WITH HOOKS (MGP)

#	MGP						
		WIDTH		PC	HP	LB	PRICE
6100	MGP6 3000	9'11" (3.00m)	-	6	190	995	\$10 040
6110	MGP8 4000	13'1" (4.00m)	-	8	250	1210	\$12 470
6105	MGPH6 3000	9'11" (3.00m)	-	6	190	1024	\$11 865
6115	MGPH8 4000	13'1" (4.00m)	-	8	250	1315	\$14 785
6130	MGPH10 6000	19'8" (6.00m)	-	10	300	2160	\$23 155
6120	MGPH12 6000	19'8" (6.00m)	-	12	360	2225	\$25 125

Standard Rear coupling: spacing cat.II / hook cat.II

OPTIONAL EQUIPLENT (SURCHARGE)	
Support wheels 10/80-12" (set)	\$2 025
LED lights	\$710
Reversible weld-on share point	\$85
Offset-share point assembly (pc)	\$210
Rear coupling: spacing cat.II / hook cat.III	\$955
Rear coupling: spacing cat.III / hook cat.III	\$915



OFFSET-SHARE POINT ASSEMBLY

Attention! Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl



V-SHAPED FRAME

DOUBLE SPRING PROTECTION

SUPPORT WHEELS (OPTION)

MGVS



#	MGVS						
		WIDTH		PC	HP	LB	PRICE
6135	MGVS6 3000	9'11" (3.00m)	+	6	190	2060	\$20 340

OPTIONAL EQUIPLENT (SURCHARGE)	
Support wheels 10/80-12" (set)	\$2 025
LED lights	\$710
Reversible weld-on share point	\$85
Offset-share point assembly (pc)	\$210

Attention! Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 106-113
 Detailed information about the options and their application can be found at www.mandam.com.pl



WORKING DEPTH DIAL

SIDE SPIKE ROLLER

ADJUSTABLE ROLLER SPACING

MAINTENANCE FREE ROLLER BEARINGS

22" SPIKE TANDEM ROLLER

AGGRESSIVE TINE WITH ADJUSTABLE WING BLADES

GROT 3,0/7 NS







#	GROT						
		WIDTH	PC	IN.	HP	LB	PRICE
7010	Grot 2,2/5	7'3" (2.20m)	5	1'8" (500mm)	180	2250	\$20 000
7000	Grot 3,0/5	9'11" (3.00m)	5	2'2" (675mm)	180	2580	\$22 710
7005	Grot 3,0/7	9'11" (3.00m)	7	1'6" (450mm)	260	2900	\$25 600

#	GROT-NS						
		WIDTH	PC	IN.	HP	LB	PRICE
7050	Grot 2,2/5 NS	7'3" (2.20m)	5	1'8" (500mm)	180	2560	\$23 560
7055	Grot 3,0/5 NS	9'11" (3.00m)	5	2'2" (675mm)	180	2877	\$30 065
7060	Grot 3,0/7 NS	9'11" (3.00m)	7	1'6" (450mm)	260	3175	\$32 820

OPTIONAL EQUIPLENT (SURCHARGE)	
Reversible weld-on share point	\$50
22" Side spike roller (left & right)	\$2 350
LED lights	\$710




Attention! Option prices do not apply as a spare part prices. Possible surcharge for packaging.





DISC HARROWS





4" LEAF SPRING

DISC INCLINATION
ANGLE 20/12 DEGREES

24" V-RING ROLLER WITH
PADDLES (OPTION)


SIDE SCREEN ON
A LEAF SPRING

MIDDLE SOLID
SCREEN (ES) (OPTION)

MAINTENANCE
FREE HUBS

22" NOTCHED DISCS

TAL-C 3,0




#	TAL-C	WIDTH			PC	IN.	IN.	HP	LB	PRICE
2275	TAL-C 2,5	8'2" (2.50m)	-	4" leaf spring	20	3'	22"	80	1073	\$13 310
2250	TAL-C 3,0	9'11" (3.00m)	-	4" leaf spring	24	3'	22"	100	1260	\$14 945
2280	TAL-C 3,5	11'6" (3.50m)	-	4" leaf spring	28	3'	22"	120	1385	\$18 905
2255	TAL-C 4,0	13'1" (4.00m)	-	4" leaf spring	32	3'	22"	140	1595	\$21 825
2260	TAL-C 4,0 H	13'1" (4.00m)	+	4" leaf spring	32	3'4"	22"	160	2100	\$26 925
2285	TAL-C 4,5 H	14'9" (4.50m)	+	4" leaf spring	36	3'4"	22"	170	2260	\$29 355
2265	TAL-C 5,0 H	16'5" (5.00m)	+	4" leaf spring	40	3'4"	22"	180	2434	\$31 485
2270	TAL-C 6,0 H	19'8" (6.00m)	+	4" leaf spring	48	3'4"	22"	200	2658	\$36 355

OPTIONAL EQUIPLENT (SURCHARGE)	2,50	3,00	3,50	4,00	4,0 H	4,5 H	5,0 H	6,0 H
Transport chassis	\$5 355							
24" Notched discs	\$670	\$815	\$965	\$1 115	\$1 260	\$1 410	\$1 705	\$1 800
Stone protection plate (set)	\$755	\$905	\$1 055	\$1 205	\$1 350	\$1 505	\$1 800	\$1 800
21" Tubular roller	\$1 630	\$1 760	\$1 860	\$2 940	\$3 020	\$3 260	\$3 525	\$3 525
24" Tubular roller	\$1 830	\$2 085	\$2 145	\$3 295	\$3 380	\$3 655	\$4 165	\$4 165
21" Tubular roller + 16" String roller	\$3 730	\$4 055	\$4 750	\$6 475	\$6 725	\$7 455	\$8 105	\$8 105
24" T-ring roller	\$2 735	\$3 085	\$3 600	\$4 395	\$5 100	\$5 470	\$6 170	\$6 170
24" V-ring roller	\$2 440	\$2 745	\$3 200	\$3 945	\$4 560	\$4 875	\$5 490	\$5 490
24" V-ring roller with paddles	\$2 585	\$2 910	\$3 940	\$4 185	\$4 835	\$5 180	\$5 820	\$5 820
24" C-ring roller	\$2 915	\$3 295	\$3 850	\$4 690	\$5 435	\$5 830	\$6 590	\$6 590
24" C-ring Tandem roller	\$3 485	\$3 945	\$4 605	\$5 630	\$6 510	\$6 975	\$7 880	\$7 880
24" C-ring Tandem HD roller	\$3 750	\$4 330	\$5 050	\$6 090	\$6 855	\$7 505	\$8 660	\$8 660
22" Spring roller	\$5 330	\$6 115	\$7 130	\$9 045	\$9 450	\$10 655	\$12 240	\$12 240
24" Packer roller	\$3 245	\$3 655	\$4 260	\$5 620	\$5 835	\$6 485	\$7 310	\$7 310
20" Rubber roller	\$6 160	\$7 010	\$8 180	\$10 565	\$11 005	\$12 325	\$14 025	\$14 025
24" Disc roller	\$5 120	\$6 075	\$7 080	\$9 090	\$9 470	\$10 620	\$12 140	\$12 140
Tine cultivator in front of roller (BPPW)	\$1 040	\$1 155	\$1 245	\$1 860	\$1 970	\$2 085	\$2 300	\$2 300
Tine cultivator behind roller (BPZW)	\$1 245	\$1 390	\$1 530	\$2 210	\$2 355	\$2 495	\$2 775	\$2 775
Middle solid screen (ES)	\$295	\$325	\$430	\$535	\$560	\$595	\$645	\$645
Middle tine screen (EA)	\$560	\$675	\$830	\$935	\$1 030	\$1 130	\$1 345	\$1 345
Support wheels 10,8/80x12" (set)	\$3 245							
LED lights	\$710							
Hydraulic working depth adjustment (HRGP)	\$3 500							

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 90
 Option descriptions & pictures - page 106-113
 Detailed information about the options and their application can be found at www.mandam.com.pl



HITCH DAMPING KIT (OPTION)

WHEELS 480/45-17"

LED LIGHTS (OPTION)

HYDRAULIC-MECHANICAL
TRANSPORT LOCKOUT (HBS)

24" C-RING TANDEM
HD ROLLER (OPTION)

22" NOTCHED DISCS

DISC INCLINATION
ANGLE 20/12 DEGREES

SIDE SCREEN ON
A LEAF SPRING

MIDDLE SOLID
SCREEN (ES) (OPTION)

HYDRAULIC WORKING
DEPTH ADJUSTMENT (HRGP)

MAINTENANCE
FREE HUB

TAL-K 5,0 H



#	TAL-K									
		WIDTH		PC	IN.	IN.	HP	LB	PRICE	
5310	TAL-K 4,0 H	13'1" (4.00m)	+	4" leaf spring	32	3'4"	22"	150	3521	\$40 960
5315	TAL-K 5,0 H	16'5" (5.00m)	+	4" leaf spring	40	3'4"	22"	180	3756	\$47 100
5300	TAL-K 6,0 H	19'8" (6.00m)	+	4" leaf spring	48	3'4"	22"	200	4158	\$54 225
5305	TAL-K 8,0 H	26'3" (8.00m)	+	4" leaf spring	64	3'	22"	220	5366	\$98 910
5320	TAK-K 10,0 H	32'10" (10.00m)	+	4" leaf spring	80	3'	22"	380	7720	\$108 815
5325	TAL-K 12,0 H	39'4" (12.00m)	+	4" leaf spring	96	3'	22"	420	8220	\$119 145

OPTIONAL EQUIPLENT (SURCHARGE)	4,0 H	5,0 H	6,0 H	8,0 H	10,0 H	12,0 H
24" Notched discs	\$1 115	\$1 410	\$1 705	\$2 300	\$2 820	\$3 410
Stone protection plate (set)	\$1 205	\$1 505	\$1 800	\$2 405	\$3 005	\$3 610
21" Tubular roller	\$2 940	\$3 260	\$3 525	\$5 880	\$6 525	\$7 050
24" Tubular roller	\$3 295	\$3 655	\$4 165	\$6 590	\$7 310	\$8 330
21" Tubular roller + 16" String roller	\$6 475	\$7 455	\$8 105	\$12 955	\$14 920	\$16 215
24" T-ring roller	\$4 395	\$5 470	\$6 170	\$8 785	\$10 935	\$12 340
24" V-ring roller	\$3 945	\$4 875	\$5 490	\$7 890	\$9 750	\$10 980
24" V-ring roller with paddles	\$4 185	\$5 180	\$5 820	\$8 380	\$10 355	\$11 640
24" C-ring roller	\$4 690	\$5 830	\$6 590	\$9 385	\$11 665	\$13 180
24" C-ring Tandem roller	\$5 630	\$6 975	\$7 880	\$11 255	\$13 945	\$15 755
24" C-ring Tandem HD roller	\$6 090	\$7 505	\$8 660	\$12 185	\$15 015	\$17 325
22" Spring roller	\$9 045	\$10 655	\$12 240	\$18 100	\$21 310	\$24 470
24" Packer roller	\$5 620	\$6 485	\$7 310	\$11 235	\$12 975	\$14 625
20" Rubber roller	\$10 565	\$12 325	\$14 025	\$21 125	\$24 640	\$28 040
24" Disc roller	\$9 090	\$10 620	\$12 140	\$18 185	\$21 235	\$24 285
Tine cultivator behind roller (BPZW)	\$2 210	\$2 495	\$2 775	\$4 420	\$5 000	\$5 560
Middle solid screen (ES)	\$535	\$595	\$645	\$1 070	\$1 180	\$1 300
Middle tine screen (EA)	\$935	\$1 130	\$1 345	\$1 865	\$2 260	\$2 690
Support wheels 10,8/80x12" (set)		\$3 245				
Wheels 620/40-22,5"		\$3 030			standard	
Mudguards (set)		\$285				
Ball hitch K80				\$965		
Hydraulic box with a switch control module				\$1 385		
Hitch damping kit		\$900				
LED lights		\$1 170			standard	
Pneumatic brakes		\$2 845			standard	
Hydraulic brakes		\$3 245			\$400	
Cultivator SKAN	\$6 590	\$7 295	\$7 540			
Hydraulic adjustment SKAN		\$1 655				


Attention! 26-33-40 ft machines with C-ring Tandem roller and Tine cultivator behind (BPZW) exceed 13 ft transport height!

The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.


Seeders and seeder brackets - page 90

Option descriptions & pictures - page 106-113

Detailed information about the options and their application can be found at www.mandam.com.pl




TAL-R



#	TAL-R									
		WIDTH		PC	IN.	IN.	HP	LB	PRICE	
6500	TAL-R 3,0	9'11" (3.00m)	-	6" Leaf spring	20	3'8"	24"	130	1485	\$17 190

OPTIONAL EQUIPLENT (SURCHARGE)		3,00
21" Tubular roller		\$1 760
24" Tubular roller		\$2 085
24" T-ring roller		\$3 085
24" V-ring roller		\$2 745
24" V-ring roller with paddles		\$2 910
24" C-ring roller		\$3 295
22" Spring roller		\$6 115
24" Packer roller		\$3 655
20" Rubber roller		\$7 010
24" Disc roller		\$6 075
Transport wheel		\$4 690
LED lights		\$710



Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.










Seeders and seeder brackets - page 90
 Option descriptions & pictures - page 106-113
 Detailed information about the options and their application can be found at www.mandam.com.pl

HYDRAULIC WORKING DEPTH
ADJUSTMENT (HRGP) AND TRANSPORT
POSITION HYDRAULIC ROLLER FOLDING

31.5" AXLE-TO-AXLE
DISC SPACING

5- YEAR WARRANTY
MAINTENANCE FREE HUB




#	GAL-E									
		WIDTH			PC	IN.	IN.	HP	LB	PRICE
7600	GAL-E 2,0	6'7" (2.00m)	-	rubber	16	2'7"	22"	75	1200	\$11 765
7605	GAL-E 2,5	8'2" (2.50m)	-	rubber	20	2'7"	22"	80	1347	\$13 275
7610	GAL-E 3,0	9'11" (3.00m)	-	rubber	24	2'7"	22"	100	1500	\$15 255

OPTIONAL EQUIPLENT (SURCHARGE)	2,0	2,5	3,0
Bolted disc hubs (set)	\$2 280	\$2 845	\$3 420
22" Shallow Notched discs (set)	\$260	\$325	\$390
Stone protection plate (set)	\$465	\$755	\$905
21" Tubular roller	\$1 470	\$1 630	\$1 760
24" Tubular roller	\$1 650	\$1 830	\$2 085
21" Tubular roller + 16" String roller	\$3 240	\$3 730	\$4 055
24" T-ring roller	\$2 365	\$2 735	\$3 085
24" V-ring roller	\$2 120	\$2 440	\$2 745
24" V-ring roller with paddles	\$2 245	\$2 585	\$2 910
24" C-ring roller	\$2 520	\$2 915	\$3 295
22" Spring roller	\$4 525	\$5 330	\$6 115
24" Packer roller	\$2 810	\$3 245	\$3 655
Tine cultivator behind roller (BPZW)	\$1 110	\$1 245	\$1 390
LED lights		\$710	

Attention! The basic price does not include the roller.
Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl



GAL-C 4,0 H



GAL-C



48 DISC HARROW GAL-C




#	GAL-C	WIDTH			PC	IN.	IN.	HP	LB	PRICE
2670	GAL-C 2,5	8'2" (2.50m)	-	rubber	20	2'11"	22"	80	1208	\$11 900
2600	GAL-C 3,0	9'11" (3.00m)	-	rubber	24	2'11"	22"	100	1314	\$13 130
2635	GAL-C 3,5	11'6" (3.50m)	-	rubber	28	2'11"	22"	120	1495	\$14 285
2605	GAL-C 4,0	13'1" (4.00m)	-	rubber	32	2'11"	22"	140	1849	\$18 035
2610	GAL-C 4,0 H	13'1" (4.00m)	+	rubber	32	3'3"	22"	160	2215	\$23 335
2615	GAL-C 4,5 H	14'9" (4.50m)	+	rubber	36	3'3"	22"	170	2395	\$24 535
2620	GAL-C 5,0 H	16'5" (5.00m)	+	rubber	40	3'3"	22"	180	2586	\$25 755
2630	GAL-C 6,0 H	19'8" (6.00m)	+	rubber	48	3'3"	22"	200	2923	\$30 055


OPTIONAL EQUIPMENT (SURCHARGE)	2,50	3,00	3,50	4,00	4,0 H	4,5 H	5,0 H	6,0 H	
Transport chassis	\$5 355								
Bolted disc hubs (set)	\$2 845	\$3 420	\$3 985	\$4 560	\$5 125	\$5 700	\$6 835	\$6 835	
24" Notched discs (set)	\$670	\$815	\$965	\$1 115	\$1 260	\$1 410	\$1 705	\$1 705	
24" Extra Thick Notched discs (set)	\$720	\$865	\$1 005	\$1 155	\$1 295	\$1 440	\$1 730	\$1 730	
22" Shallow Notched discs (set)	\$325	\$390	\$455	\$520	\$585	\$645	\$780	\$780	
24" Shallow Notched discs (set)	\$585	\$700	\$815	\$975	\$1 055	\$1 170	\$1 405	\$1 405	
Stone protection plate (set)	\$755	\$905	\$1 055	\$1 205	\$1 350	\$1 505	\$1 800	\$1 800	
21" Tubular roller	\$1 630	\$1 760	\$1 860	\$2 940	\$3 020	\$3 260	\$3 525	\$3 525	
24" Tubular roller	\$1 830	\$2 085	\$2 145	\$3 295	\$3 380	\$3 655	\$4 165	\$4 165	
21" Tubular roller + 16" String roller	\$3 730	\$4 055	\$4 750	\$6 475	\$6 725	\$7 455	\$8 105	\$8 105	
24" T-ring roller	\$2 735	\$3 085	\$3 600	\$4 395	\$5 100	\$5 470	\$6 170	\$6 170	
24" V-ring roller	\$2 440	\$2 745	\$3 200	\$3 945	\$4 560	\$4 875	\$5 490	\$5 490	
24" V-ring roller with paddles	\$2 585	\$2 910	\$3 940	\$4 185	\$4 835	\$5 180	\$5 820	\$5 820	
24" C-ring roller	\$2 915	\$3 295	\$3 850	\$4 690	\$5 435	\$5 830	\$6 590	\$6 590	
24" C-ring Tandem roller	\$3 485	\$3 945	\$4 605	\$5 630	\$6 510	\$6 975	\$7 880	\$7 880	
24" C-ring Tandem HD roller	\$3 750	\$4 330	\$5 050	\$6 090	\$6 855	\$7 505	\$8 660	\$8 660	
22" Spring roller	\$5 330	\$6 115	\$7 130	\$9 045	\$9 450	\$10 655	\$12 240	\$12 240	
24" Packer roller	\$3 245	\$3 655	\$4 260	\$5 620	\$5 835	\$6 485	\$7 310	\$7 310	
20" Rubber roller	\$6 160	\$7 010	\$8 180	\$10 565	\$11 005	\$12 325	\$14 025	\$14 025	
24" Disc roller	\$5 120	\$6 075	\$7 080	\$9 090	\$9 470	\$10 620	\$12 140	\$12 140	
Tine cultivator in front of roller (BPPW)	\$1 040	\$1 155	\$1 245	\$1 860	\$1 970	\$2 085	\$2 300	\$2 300	
Tine cultivator behind roller (BPZW)	\$1 245	\$1 390	\$1 530	\$2 210	\$2 355	\$2 495	\$2 775	\$2 775	
Middle solid screen (ES)	\$295	\$325	\$430	\$535	\$560	\$595	\$645	\$645	
Middle tine screen (EA)	\$560	\$675	\$830	\$935	\$1 030	\$1 130	\$1 345	\$1 345	
Support wheels 10,8/80x12" (set)								\$3 245	\$3 245
LED lights								\$710	\$1 030
Hydraulic working depth adjustment (HRGP)								\$1 745	\$3 500

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 90
 Option descriptions & pictures - page 106-113
 Detailed information about the options and their application can be found at www.mandam.com.pl





#	GAL-S									
		WIDTH			PC	IN.	IN.	HP	LB	PRICE
5405	GAL-S 3,0	9'11" (3.00m)	-	rubber	24	2'6"	22"*	140	1500	\$16 595

22" Shallow Notched disc (standard)

OPTIONAL EQUIPLENT (SURCHARGE)		3,00
Bolted disc hubs (set)		\$3 420
Stone protection plate (set)		\$905
21" Tubular roller		\$1 760
24" Tubular roller		\$2 085
24" T-ring roller		\$3 085
24" V-ring roller		\$2 745
24" V-ring roller with paddles		\$2 910
24" C-ring roller		\$3 295
22" Spring roller		\$6 115
24" Packer roller		\$3 655
20" Rubber roller		\$7 010
LED lights		\$710

Attention! The basic price does not include the roller.
Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl



SPLITTER HEAD BRACKET

3-POINT EURO COUPLING

INCREASED DISC SPACING

GAL-M 3,0




#	GAL-M									
		WIDTH			PC	IN.	IN.	HP	LB	PRICE
7100	GAL-M 3,0	9'11" (3.00m)	-	rubber	16	3'3"	22"		1095	\$12 600
7105	GAL-M 4,0 H	13'1" (4.00m)	+	rubber	24	3'3"	22"		2230	\$22 485
7110	GAL-M 5,0 H	16'5" (5.00m)	+	rubber	28	3'3"	22"		2450	\$24 360
7115	GAL-M 6,0 H	19'8" (6.00m)	+	rubber	32	3'3"	22"		2660	\$26 225

OPTIONAL EQUIPMENT (SURCHARGE)	3,0	4,0H	5,0H	6,0H
Bolted disc hubs (set)	\$3 420	\$4 560	\$5 700	\$6 835
21" Tubular roller	\$1 760	\$2 940	\$3 260	\$3 525
24" Tubular roller	\$2 085	\$3 295	\$3 655	\$4 165
24" T-ring roller	\$3 085	\$4 395	\$5 470	\$6 170
24" V-ring roller	\$2 745	\$3 945	\$4 875	\$5 490
24" V-ring roller with paddles	\$2 910	\$4 185	\$5 180	\$5 820
24" C-ring roller	\$3 295	\$4 690	\$5 830	\$6 590
22" Spring roller	\$6 115	\$9 045	\$10 655	\$12 240
24" Packer roller	\$3 655	\$5 620	\$6 485	\$7 310
20" Rubber roller	\$7 010	\$10 565	\$12 325	\$14 025
24" Disc roller	\$6 075	\$9 090	\$10 620	\$12 140
LED lights	\$710		\$1 030	



Attention! The basic price does not include the roller. Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl



DISC INCLINATION ANGLE
20/12 DEGREES

WHEELS 480/45-17"

MIDDLE SOLID SCREEN (ES) (OPTION)

LED LIGHTS
(OPTION)

21" TUBULAR
ROLLER (OPTION)

22" NOTCHED DISCS

RUBBER DAMPERS

SIDE SCREENS WITH
RUBBER DAMPING


HYDRAULIC WORKING DEPTH
ADJUSTMENT (HRGP)

5- YEAR WARRANTY
MAINTENANCE FREE HUB

GAL-K 4,0 H



GAL-K



GAL-K 10,0 H



#	GAL-K									
		WIDTH			PC	IN.	IN.	HP	LB	PRICE
5110	GAL-K 4,0 H	13'1" (4.00m)	+	rubber	32	3'3"	22"	150	3508	\$38 515
5115	GAL-K 5,0 H	16'5" (5.00m)	+	rubber	40	3'3"	22"	180	3963	\$41 540
5100	GAL-K 6,0 H	19'8" (6.00m)	+	rubber	48	3'3"	22"	200	4461	\$46 470
5105	GAL-K 8,0 H	26'3" (8.00m)	+	rubber	64	2'11"	22"	220	5576	\$83 455
5120	GAL-K 10,0H	32'10" (10.00m)	+	rubber	80	2'11"	22"	380	8500	\$89 610
5125	GAL-K 12,0 H	39'4" (12.00m)	+	rubber	96	2'11"	22"	420	9200	\$95 775

OPTIONAL EQUIPLENT (SURCHARGE)	4,0 H	5,0 H	6,0 H	8,0 H	10,0 H	12,0 H
Bolted disc hubs (set)	\$4 560	\$5 700	\$6 835	\$9 110	\$11 390	\$13 670
24" Notched discs	\$1 115	\$1 410	\$1 705	\$2 300	\$2 820	\$3 410
24" Extra Thick Notched discs (set)	\$1 155	\$1 440	\$1 730	\$2 305	\$2 880	\$3 455
22" Shallow Notched discs (set)	\$520	\$645	\$780	\$1 040	\$1 300	\$1 560
24" Shallow Notched discs (set)	\$975	\$1 170	\$1 405	\$1 955	\$2 345	\$2 815
Stone protection plate (set)	\$1 205	\$1 505	\$1 800	\$2 405	\$3 005	\$3 610
21" Tubular roller	\$2 940	\$3 260	\$3 525	\$5 880	\$6 525	\$7 050
24" Tubular roller	\$3 295	\$3 655	\$4 165	\$6 590	\$7 310	\$8 330
21" Tubular roller + 16" String roller	\$6 475	\$7 455	\$8 105	\$12 955	\$14 920	\$16 215
24" T-ring roller	\$4 395	\$5 470	\$6 170	\$8 785	\$10 935	\$12 340
24" V-ring roller	\$3 945	\$4 875	\$5 490	\$7 890	\$9 750	\$10 980
24" V-ring roller with paddles	\$4 185	\$5 180	\$5 820	\$8 380	\$10 355	\$11 640
24" C-ring roller	\$4 690	\$5 830	\$6 590	\$9 385	\$11 665	\$13 180
24" C-ring Tandem roller	\$5 630	\$6 975	\$7 880	\$11 255	\$13 945	\$15 755
24" C-ring Tandem HD roller	\$6 090	\$7 505	\$8 660	\$12 185	\$15 015	\$17 325
22" Spring roller	\$9 045	\$10 655	\$12 240	\$18 100	\$21 310	\$24 470
24" Packer roller	\$5 620	\$6 485	\$7 310	\$11 235	\$12 975	\$14 625
20" Rubber roller	\$10 565	\$12 325	\$14 025	\$21 125	\$24 640	\$28 040
24" Disc roller	\$9 090	\$10 620	\$12 140	\$18 185	\$21 235	\$24 285
Tine cultivator behind roller (BPZW)	\$2 210	\$2 495	\$2 775	\$4 420	\$5 000	\$5 560
Middle solid screen (ES)	\$535	\$595	\$645	\$1 070	\$1 180	\$1 300
Middle tine screen (EA)	\$935	\$1 130	\$1 345	\$1 865	\$2 260	\$2 690
Support wheels 10,8/80x12" (set)		\$3 245				
Wheels 620/40-22,5"		\$3 030			standard	
Mudguards (set)		\$285				
Ball hitch K80				\$965		
Hydraulic box with a switch control module				\$1 385		
Hitch damping kit		\$900				
LED lights		\$1 170			standard	
Pneumatic brakes		\$2 845			standard	
Hydraulic brakes		\$3 245			\$400	
Cultivator SKAN	\$6 590	\$7 295	\$7 540			
Hydraulic adjustment SKAN		\$1 655				

Attention! 26-33-40 ft machines with C-ring Tandem roller and Tine cultivator behind (BPZW) exceed 13 ft transport height!

The basic price does not include the roller. Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 90

Option descriptions & pictures - page 106-113

Detailed information about the options and their application can be found at www.mandam.com.pl



REAR AXLE SUSPENSION

QUAD HYDRAULIC PISTON FOLDING SYSTEM

CULTIVATOR SKAN (OPTION)

REINFORCED FRAME

24" C-RING TANDEM HD ROLLER

GAL-K 6,0 H HD



GAL-K HD





Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

#	GAL-K HD									
		WIDTH			PC	IN.	IN.	HP	LB	PRICE
5200	GAL-K 4,0 H HD	13'1" (4.00m)	+	rubber	32	3'3"	22"	160	3655	\$42 600
5205	GAL-K 5,0 H HD	16'5" (5.00m)	+	rubber	40	3'3"	22"	180	4000	\$45 840
5210	GAL-K 6,0 H HD	19'8" (6.00m)	+	rubber	48	3'3"	22"	200	4400	\$49 075

OPTIONAL EQUIPLENT (SURCHARGE)	4,0 H	5,0 H	8,0 H
Bolted disc hubs (set)	\$4 560	\$5 700	\$6 835
24" Notched discs	\$1 115	\$1 410	\$1 705
24" Extra Thick Notched discs (set)	\$1 155	\$1 440	\$1 730
22" Shallow Notched discs (set)	\$520	\$645	\$780
24" Shallow Notched discs (set)	\$975	\$1 170	\$1 405
Stone protection plate (set)	\$1 205	\$1 505	\$1 800
21" Tubular roller	\$2 940	\$3 260	\$3 525
24" Tubular roller	\$3 295	\$3 655	\$4 165
21" Tubular roller + 16" String roller	\$6 475	\$7 455	\$8 105
24" T-ring roller	\$4 395	\$5 470	\$6 170
24" V-ring roller	\$3 945	\$4 875	\$5 490
24" V-ring roller with paddles	\$4 185	\$5 180	\$5 820
24" C-ring roller	\$4 690	\$5 830	\$6 590
24" C-ring Tandem roller	\$5 630	\$6 975	\$7 880
24" C-ring Tandem HD roller	\$6 090	\$7 505	\$8 660
22" Spring roller	\$9 045	\$10 655	\$12 240
24" Packer roller	\$5 620	\$6 485	\$7 310
20" Rubber roller	\$10 565	\$12 325	\$14 025
24" Disc roller	\$9 090	\$10 620	\$12 140
Tine cultivator behind roller (BPZW)	\$2 210	\$2 495	\$2 775
Middle solid screen (ES)	\$535	\$595	\$645
Middle tine screen (EA)	\$935	\$1 130	\$1 345
Support wheels 10,8/80x12" (set)		\$3 245	
Wheels 620/40-22,5"		\$3 030	
Mudguards (set)		\$285	
Ball hitch K80		\$965	
Hydraulic box with a switch control module		\$1 385	
Hitch damping kit		\$900	
LED lights		\$1 170	
Pneumatic brakes		\$2 845	
Hydraulic brakes		\$3 245	
Cultivator SKAN	\$6 590	\$7 295	\$7 540
Hydraulic adjustment SKAN		\$1 655	

Seeders and seeder brackets - page 90
 Option descriptions & pictures - page 106-113
 Detailed information about the options and their application can be found at www.mandam.com.pl



SPRING STONE PROTECTION
(507 LB PER TINE)

14" FRAME-TO-DISC
CLEARANCE

FIRST BANK DISC INCLINATION
ANGLE 18/13 DEGREES

SIDE SCREEN ON
A LEAF SPRING

24" NOTCHED DISCS

24" V-RING ROLLER (OPTION)

SAL 3,0





SAL-K 6,0 H



#	SAL									
		WIDTH			PC	IN.	IN.	HP	LB	PRICE
7500	SAL 3,0	9'11" (3.00m)	-	+	24	3'11"	24"	130	1840	\$26 260
7510	SAL-K 4,0 H*	13'1" (4.00m)	+	+	32	3'11"	24"	160	4200	\$62 900
7520	SAL-K 5,0 H*	16'5" (5.00m)	+	+	40	3'11"	24"	180	5000	\$67 570
7530	SAL-K 6,0 H*	19'8" (6.00m)	+	+	48	3'11"	24"	200	5950	\$75 830

* machine with an integrated transport chassis

OPTIONAL EQUIPLENT (SURCHARGE)	3,00	4,00	5,00	6,00
21" Tubular roller	\$1 760	\$3 255	\$3 795	\$4 025
24" Tubular roller	\$2 085	\$3 700	\$4 255	\$4 700
21" Tubular roller + 16" String roller	\$4 055	\$6 160	\$7 850	\$8 690
24" T-ring roller	\$3 085	\$4 305	\$5 715	\$6 450
24" V-ring roller	\$2 745	\$3 985	\$5 160	\$5 775
24" V-ring roller with paddles	\$2 910	\$4 205	\$5 425	\$6 115
24" C-ring roller	\$3 295	\$4 575	\$6 075	\$6 875
24" C-ring Tandem roller	\$3 945	\$5 495	\$7 280	\$8 235
24" C-ring Tandem HD roller	\$4 330	\$6 290	\$7 690	\$8 820
22" Spring roller	\$6 115	\$8 310	\$10 770	\$12 360
24" Packer roller	\$3 655	\$5 355	\$6 820	\$7 695
20" Rubber roller	\$7 010	\$9 840	\$12 665	\$14 415
24" Disc roller	\$6 075	\$8 410	\$10 835	\$12 390
Tine cultivator in front of roller (BPPW)	\$1 155	\$2 185	\$2 535	\$2 765
Tine cultivator behind roller (BPZW)	\$1 390	\$2 485	\$2 945	\$3 250
Support wheels 10,8/80x12" (set)			\$3 245	
Mudguards (set)			\$285	
Ball hitch K80			\$965	
Hitch damping kit			\$900	
LED lights			\$710	
Hydraulic working depth adjustment (HRGP)	\$1 745		standard	

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl



BTH GAL-K 6,0 H



Additional Homologation equipment included in basic BTH machine price:

1. Dual circuit brake system (hydraulic or pneumatic) with additional mechanical parking brake
2. Braked axle
3. Rear traffic LED lights with reflective boards & red triangle reflectors
4. Front lights with a reflective boards & white rectangular reflectors
5. Mudguards with rectangular orange reflectors
6. Side tilts with mounting straps
7. Padlock
8. Numberplate with homologation number
9. Hydraulic hose connection guide diagram

#	BTH TAL-K	WIDTH	+	+	PC	IN.	IN.	HP	LB	PRICE
5300	BTH TAL-K 4,0 H*	13'1" (4.00m)	+	+	32	3'4"	22"	150	3563	\$49 100
5305	BTH TAL-K 5,0 H*	16'5" (5.00m)	+	+	40	3'4"	22"	180	3821	\$55 380
5310	BTH TAL-K 6,0 H*	19'8" (6.00m)	+	+	48	3'4"	22"	200	4343	\$62 630

#	BTH SAL-K	WIDTH	+	+	PC	IN.	IN.	HP	LB	PRICE
7510	BTH SAL-K 4,0 H*	13'1" (4.00m)	+	+	32	3'11"	24"	160	4385	\$70 265
7520	BTH SAL-K 5,0 H*	16'5" (5.00m)	+	+	40	3'11"	24"	180	5185	\$74 945
7530	BTH SAL-K 6,0 H*	19'8" (6.00m)	+	+	48	3'11"	24"	200	5985	\$83 205

#	BTH GAL-K	WIDTH	+	rubber	PC	IN.	IN.	HP	LB	PRICE
5100	BTH GAL-K 4,0 H*	13'1" (4.00m)	+	rubber	32	3'4"	22"	150	3633	\$46 275
5105	BTH GAL-K 5,0 H*	16'5" (5.00m)	+	rubber	40	3'4"	22"	180	4257	\$49 310
5110	BTH GAL-K 6,0 H*	19'8" (6.00m)	+	rubber	48	3'4"	22"	200	4554	\$54 275

OPTIONAL EQUIPLENT (SURCHARGE)	BTH TAL-K / BTH GAL-K			BTH SAL-K		
	4,0 H	5,0 H	6,0 H	4,0 H	5,0 H	6,0 H
Bolted disc hubs (set)	\$4 560	\$5 700	\$6 835			
24" Notched discs (set)	\$1 115	\$1 410	\$1 705			
24" Extra Thick Notched discs (set)	\$1 155	\$1 440	\$1 730			
22" Shallow Notched discs (set)	\$520	\$645	\$780			
24" Shallow Notched discs (set)	\$975	\$1 170	\$1 405			
Stone protection plate (set)	\$1 205	\$1 505	\$1 800			
21" Tubular roller	\$2 940	\$3 260	\$3 525	\$3 255	\$3 795	\$4 025
24" Tubular roller	\$3 295	\$3 655	\$4 165	\$3 700	\$4 255	\$4 700
21" Tubular roller + 16" String roller	\$6 475	\$7 455	\$8 105	\$6 160	\$7 850	\$8 690
24" T-ring roller	\$4 395	\$5 470	\$6 170	\$4 305	\$5 715	\$6 450
24" V-ring roller	\$3 945	\$4 875	\$5 490	\$3 985	\$5 160	\$5 775
24" V-ring roller with paddles	\$4 185	\$5 180	\$5 820	\$4 205	\$5 425	\$6 115
24" C-ring roller	\$4 690	\$5 830	\$6 590	\$4 575	\$6 075	\$6 875
24" C-ring Tandem roller	\$5 630	\$6 975	\$7 880	\$5 495	\$7 280	\$8 235
24" C-ring Tandem HD roller	\$6 090	\$7 505	\$8 660	\$6 290	\$7 690	\$8 820
22" Spring roller	\$9 045	\$10 655	\$12 240			
24" Packer roller	\$5 620	\$6 485	\$7 310	\$5 355	\$6 820	\$7 695
20" Rubber roller	\$10 565	\$12 325	\$14 025			
24" Disc roller	\$9 090	\$10 620	\$12 140	\$8 410	\$10 835	\$12 390
Tine cultivator behind roller (BPZW)	\$2 210	\$2 495	\$2 775	\$2 485	\$2 945	\$3 250
Middle solid screen (ES)	\$535	\$595	\$645			
Middle tine screen (EA)	\$935	\$1 130	\$1 345			
Support wheels 10,8/80x12" (set)				\$3 245		
Wheels 620/40-22,5"		\$3 030				standard
Hitch damping kit				\$900		

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

* At the time of ordering customer must declare what type of pcing system shall be installed





#	WN							
		WIDTH		PC	IN.	HP	LB	PRICE
5800	WN 3,0	9'11" (3.00m)	-	6	15"	30	525	\$5 935
5825	WN 3,5	11'6" (3.50m)	-	6	15"	35	644	\$6 920
5805	WN 4,0	13'1" (4.00m)	-	6	15"	40	920	\$9 650
5810	WN 4,0 H	13'1" (4.00m)	+	6	15"	40	940	\$10 950
5815	WN 5,0 H	16'5" (5.00m)	+	6	15"	50	1085	\$12 325
5820	WN 6,0 H	19'8" (6.00m)	+	6	15"	60	1140	\$14 480

WN 3,0 m – 4,0 m

WN 4,0 m H – 6,0 m H



#	WN TANDEM							
		WIDTH		PC	IN.	HP	LB	PRICE
6700	WN Tandem 3,0	9'11" (3.00m)	-	8+7	19"	60	875	\$9 590
6725	WN Tandem 3,5	11'6" (3.50m)	-	8+7	19"	65	935	\$11 190
6705	WN Tandem 4,0	13'1" (4.00m)	-	8+7	19"	80	1105	\$12 875
6710	WN Tandem 4,0 H	13'1" (4.00m)	+	8+7	19"	80	1420	\$15 610
6715	WN Tandem 5,0 H	16'5" (5.00m)	+	8+7	19"	100	1605	\$18 085
6720	WN Tandem 6,0 H	19'8" (6.00m)	+	8+7	19"	120	1815	\$20 595

* At the time of ordering customer must declare what type of hitch (front or rear) shall be installed

WN TANDEM 3,0 – 6,0 m H



OPTIONAL EQUIPLENT (SURCHARGE)	3,00	3,50	4,00	5,00	6,00
Top stone cover plates (WN TANDEM)	\$760	\$885	\$915	\$1 145	\$1 355
Special heat treated knives (set) WN	\$645	\$730	\$860	\$1 075	\$1 295
Special heat treated knives (set) WN TANDEM	\$1 600	\$1 880	\$2 150	\$2 685	\$3 230
LED lights			\$710		

Attention! When working with the knife roller, it is recommended to drive the field diagonally.

Attention! Option prices do not apply as a spare part prices. Possible surcharge for packaging.









TOP STONE COVER PLATE

DIAGONAL KNIVES

INCREASED NUMBER OF KNIVES

WN TANDEM HD 6,0 H



#	WN TANDEM HD						
		WIDTH	PC	IN.	HP	LB	PRICE
6750	WN Tandem HD 3,0	9'11" (3.00m)	-	6	22"	60	\$15 380
6755	WN Tandem HD 3,5	11'6" (3.50m)	-	6	22"	65	\$16 290
6760	WN Tandem HD 4,0	13'1" (4.00m)	-	6	22"	80	\$19 915
6765	WN Tandem HD 4,0 H	13'1" (4.00m)	+	6	22"	80	\$22 695
6770	WN Tandem HD 5,0 H	16'5" (5.00m)	+	6	22"	100	\$27 115
6775	WN Tandem HD 6,0 H	19'8" (6.00m)	+	6	22"	120	\$31 835

WN TANDEM 3,0 – 6,0 m H



OPTIONAL EQUIPLENT (SURCHARGE)	3,00	3,50	4,00	5,00	6,00
LED lights			\$710		








PLUGHS





FEN 3+1




#	FEN									
		WIDTH		IN.	IN.	IN.	PC	HP	LB	PRICE
4500	FEN 3+	35"-53"	-	4.7x4.7x2.4"	30"	33"	3	80	867	\$17 325
4505	FEN 3+1	47"-71"	-	4.7x4.7x2.4"	30"	33"	4	100	1060	\$19 625

#	FEN RESOR									
		WIDTH		IN.	IN.	IN.	PC	HP	LB	PRICE
4515	FEN 3+ RESOR	35"-53"	resor	4.7x4.7x3.1"	30"	33"	3	90	1100	\$24 545
4520	FEN 3+1 RESOR	47"-71"	resor	4.7x4.7x3.1"	30"	33"	4	120	1370	\$30 040

OPTIONAL EQUIPLENT (SURCHARGE)		
Skimmer	pair	\$1 030
Memory cylinder	set	\$815
Support wheel 10.0/80-12"	pc	\$1 685
47" Moldboard	pair	\$775
Wheel scraper	pc	\$55
20" Disc coulter	pair	\$1 540
Share knife	pair	\$60
Trash board	pair	\$185
Moldboard extension	pair	\$70





HYDRAULIC CYLINDER FOR STEPLESS ADJUSTMENT

DISC COULTER (OPTIONAL)

MEMORY CYLINDER (OPTIONAL)

32" UNDER FRAME CLEARANCE

HIGH-GRADE STEEL FRAME

SUPPORT WHEEL 10.8/80-12" (OPTION)

47" SLATED MOLDBOARD

ORKAN VARIO 4+



#	ORKAN									
		IN.		IN.	IN.	IN.	PC	HP	LB	PRICE
4200	ORKAN 3+	35" - 59"	shear bolt	4.7x4.7x0.3"	32"	40"	3	90	1030	\$18 455
4205	ORKAN 3+1	47"-78"	shear bolt	4.7x4.7x0.3"	32"	40"	4	110	1200	\$20 160
4210	ORKAN 4+	47"-78"	shear bolt	4.7x4.7x0.4"	32"	40"	4	110	1568	\$22 315
4215	ORKAN 4+1	59"-98"	shear bolt	4.7x4.7x0.4"	32"	40"	5	130	1920	\$25 260

#	VARIO									
		IN.		IN.	IN.	IN.	PC	HP	LB	PRICE
4300	ORKAN 3+ VARIO	35" - 59"	shear bolt	4.7x4.7x0.3"	32"	40"	3	90	1470	\$20 870
4305	ORKAN 3+1 VARIO	47"-78"	shear bolt	4.7x4.7x0.3"	32"	40"	4	110	1670	\$23 735
4310	ORKAN 4+ VARIO	47"-78"	shear bolt	4.7x4.7x0.4"	32"	40"	4	110	1840	\$25 150
4315	ORKAN 4+1 VARIO	59"-98"	shear bolt	4.7x4.7x0.4"	32"	40"	5	130	2004	\$28 495

#	RESOR									
		IN.		IN.	IN.	IN.	PC	HP	LB	PRICE
4400	ORKAN 3+ R	35" - 59"	resor	4.7x4.7x0.3"	32"	40"	3	90	1770	\$22 765
4405	ORKAN 3+1 R	47"-78"	resor	4.7x4.7x0.3"	32"	40"	4	110	1970	\$26 655
4410	ORKAN 4+ R	47"-78"	resor	4.7x4.7x0.4"	32"	40"	4	110	2015	\$27 990
4415	ORKAN 4+1 R	59"-98"	resor	4.7x4.7x0.4"	32"	40"	5	130	2316	\$32 275


OPTIONAL EQUIPLENT (SURCHARGE)		
Skimmer	pair	\$1 030
Memory cylinder	set	\$805
Support wheel 10,0/75-15,3" (option)	pc	\$1 800
Wheel scraper	pc	\$50
20" Disc coulter	pair	\$1 540
Share knife	pair	\$65
47" Moldboard	pair	\$405
47" Slated Moldboard	pair	\$775
Trash board	pair	\$185
Moldboard extension	pair	\$75
Support&Transport wheel 10,0/75-15,3" (standard with 4+1 models)	set	\$2 385





PRE-SOWING-SOWING






MWC 3,0




#	MWC								
		WIDTH	PC	IN.	HP	LB	PRICE		
2700	MWC 1,5 27" (700mm)	4'11" (1.50m)	-	8	27"	30°	60	750	\$5 350
2705	MWC 2,5 27" (700mm)	8'2" (2.50m)	-	13	27"	30°	60	882	\$6 210
2710	MWC 3,0 27" (700mm)	9'11" (3.00m)	-	15	27"	30°	60	1006	\$7 270
2750	MWC 4,0 H 27" (700mm)	13'1" (4.00m)	+	24	27"	30°	80	1710	\$14 310
2755	MWC 6,0 H 27" (700mm)	19'8" (6.00m)	+	35	27"	30°	120	2460	\$22 665
2730	MWC 1,5 35" (900mm)	4'11" (1.50m)	-	8	35"	30°	60	1000	\$7 370
2735	MWC 2,5 35" (900mm)	8'2" (2.50m)	-	13	35"	30°	70	1350	\$9 615
2740	MWC 3,0 35" (900mm)	9'11" (3.00m)	-	15	35"	30°	70	1575	\$10 100
2745	MWC 4,0 H 35" (900mm)	13'1" (4.00m)	+	21	35"	30°	85	2562	\$22 070
2770	MWC 6,0 H 35" (900mm)	19'8" (6.00m)	+	29	35"	30°	140	3250	\$27 700

#	MWW								
		WIDTH	PC	IN.	HP	LB	PRICE		
3300	MWW 1,5 27" (700mm)	4'11" (1.50m)	-	8	27"	30°	60	862	\$6 705
3305	MWW 2,5 27" (700mm)	8'2" (2.50m)	-	13	27"	30°	60	1043	\$8 120
3310	MWW 3,0 27" (700mm)	9'11" (3.00m)	-	15	27"	30°	60	1075	\$9 490
3350	MWW 4,0 H 27" (700mm)	13'1" (4.00m)	+	24	27"	30°	80	1970	\$17 795
3355	MWW 6,0 H 27" (700mm)	19'8" (6.00m)	+	35	27"	30°	120	2870	\$27 755
3330	MWW 1,5 35" (900mm)	4'11" (1.50m)	-	8	35"	30°	60	1112	\$8 880
3335	MWW 2,5 35" (900mm)	8'2" (2.50m)	-	13	35"	30°	70	1480	\$11 635
3340	MWW 3,0 35" (900mm)	9'11" (3.00m)	-	15	35"	30°	70	1698	\$12 375
3345	MWW 4,0 H 35" (900mm)	13'1" (4.00m)	+	21	35"	30°	85	2802	\$25 705
3365	MWW 6,0 H 35" (900mm)	19'8" (6.00m)	+	29	35"	30°	140	3550	\$32 890

OPTIONAL EQUIPLENT (SURCHARGE)	1,5	2,5	3,0	4,0	6,0
Two bank cultivator	\$1 270	\$2 120	\$2 545	\$3 390	\$5 095
LED lights			\$710		












#	MCB						
		WIDTH	PC	IN.	HP	LB	PRICE
2800	MCB 2,5 21" (525mm)	8'2" (2.50m)	-	43	21"	45	\$5 980
2805	MCB 3,0 21" (525mm)	9'11" (3.00m)	-	51	21"	60	\$6 950
2825	MCB 4,5 H 21" (525mm)	14'9" (4.50m)	+	85	21"	80	\$14 285
2810	MCB 6,2 H 21" (525mm)	20'4" (6.20m)	+	123	21"	120	\$19 690
2820	MCB 8,0 H 21" (525mm)	26'3" (8.00m)	+	151	21"	160	\$25 405
2835	MCB 12,3 H 21" (525mm)	10'4" (12.30m)	+	247	21"	180	\$50 265

#	MCW							
		WIDTH	PC	IN.	PC	HP	LB	PRICE
2801	MCW 2,5 21" (525mm)	8'2" (2.50m)	-	43	21"	12	55	\$8 925
2806	MCW 3,0 21" (525mm)	9'11" (3.00m)	-	51	21"	14	75	\$10 470
2826	MCW 4,5 H 21" (525mm)	14'9" (4.50m)	+	85	21"	18	100	\$19 025
2811	MCW 6,2 H 21" (525mm)	20'4" (6.20m)	+	123	21"	24	140	\$26 215
2821	MCW 8,0 H 21" (525mm)	26'3" (8.00m)	+	151	21"	34	180	\$33 825

OPTIONAL EQUIPLENT (SURCHARGE)	2,50	3,00	4,50	6,20	8,00	12,3
Rear tractor hitch adapter (MCW)	\$2 645					
Hydraulic cultivator adjustment (MCW)	\$3 235			\$5 385		
Pnaumatic brakes (foldable machines)				\$2 630		standard
LED lights				\$710		
24" Ductile Iron wheel casts	\$5 020	\$5 445	\$9 485	\$12 465	\$16 510	





FLOATING HITCH SPRING STABILIZERS

STEEL-TEFLON SLIDE ROLLERS

CULTIVATOR SKAN WITH HYDRAULIC ADJUSTMENT (OPTION)

TWO BANKS OF AGGRESSIVE IRON CAST 21" WHEELS

STAR TANDEM 3,0





#	STAR							
		WIDTH		PC	IN.	HP	LB	PRICE
4500	STAR 3,0	9'11" (3.00m)	-	24	22"	40	904	\$8 855
4505	STAR 4,0 H	13'1" (4.00m)	+	32	22"	70	2010	\$13 265

#	STAR TANDEM							
		WIDTH		PC	IN.	HP	LB	PRICE
4600	STAR Tandem 3,0	9'11" (3.00m)	-	33	22"	50	1138	\$10 575
4605	STAR Tandem 4,0 H	13'1" (4.00m)	+	45	22"	90	2500	\$16 065

OPTIONAL EQUIPLENT (SURCHARGE)		3,00	4,0 H
Two bank cultivator*		\$2 545	\$3 390
SKAN cultivator		\$3 505	\$6 515
LED lights		\$710	

*front tractor hitch only





ROLLER PRESSURE ADJUSTMENT

ADJUSTABLE SUPPORT WHEELS

12" STRING TANDEM ROLLER WITH AN OPTIONAL TINE CULTIVATOR

TWO BANKS OF STRAIGHT 1.1"MM TINES


CULTIVATOR SKAN WITH HYDRAULIC ADJUSTMENT (OPTION)




#	BEST						
		WIDTH		PC	HP	LB	PRICE
7205	BEST 4,0 H	13'1" (4.00m)	+	50	80	1325	\$15 950
7215	BEST 6,0 H	19'8" (6.00m)	+	73	110	1458	\$18 875

OPTIONAL EQUIPMENT (SURCHARGE)	4,0 H	6,0 H
Track eradicator (set)*	\$625	
Front levelling board	\$1 630	\$1 705
Cultivator SKAN with hydraulic adjustment	\$4 480	\$5 370
1.1" "S" tine (set)	standard	
1.8" tine (set)	\$1 090	\$1 590
12" String tandem roller	\$5 290	\$7 030
12" String tandem roller with tine cultivator in front	\$5 565	\$6 790
12" String tandem roller with tine cultivator behind	\$7 475	\$8 290
LED lights	\$845	

* excludes SKAN cultivator





3 BANKS OF 1.1"MM SPRING TINES WITH STRAIGHT POINTS OR 7" SWEEPS


14" STRING ROLLER

TERRAIN COPYING SECTIONS

12" STRING ROLLER

16" IRON CAST ROLLER

FLEX-K 4,0 H



#	FLEX						
		WIDTH		PC	HP	LB	PRICE
5005	FLEX 3,0	9'11" (3.00m)	-	24/16	110	1557	\$12 880
5000	FLEX 4,0 H	13'1" (4.00m)	+	32/23	140	2334	\$20 675
5010	FLEX 5,0 H	16'5" (5.00m)	+	40/28	180	2850	\$25 545
5015	FLEX 6,0 H	19'8" (6.00m)	+	46/31	210	3100	\$29 845

#	FLEX K						
		WIDTH		PC	HP	LB	PRICE
5030	Flex K 4,0H	13'1" (4.00m)	+	32/23	180	3890	\$34 975
5035	Flex K 5,0H	16'5" (5.00m)	+	40/28	240	4240	\$38 035
5040	Flex K 6,0H	19'8" (6.00m)	+	46/31	280	4600	\$41 155

OPTIONAL EQUIPLENT (SURCHARGE)	
LED lights	\$845



Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 90
 Option descriptions & pictures - page 106-113
 Detailed information about the options and their application can be found at www.mandam.com.pl





#	DELIMBE						
		WIDTH	VOLUME	LBM/ACRE	V	LB	PRICE
4150	SP 5	6'7"-16'5"	3.4 bu	268	12	34	\$2 830

#	APV						
		WIDTH	VOLUME	PC	V	LB	PRICE*
4155	ES 100 M1 CLASSIC	6'7"-78'9"	3 bu	-	12	30	\$2 830
4160	PS 120 M1 (elekt)	3'4"-19'8"	3.4 bu	8	12	45	\$5 215
4165	PS 200 M1 (elekt)	3'4"-19'8"	5.7 bu	8	12	60	\$5 910
4180	PS 200 M1 (hydr)	3'4"-19'8"	5.7 bu	8	12	83	\$10 595
4170	PS 300 M1 (elekt)	3'4"-19'8"	8.5 bu	8	12	70	\$6 945
4185	PS 300 M1 (hydr)	3'4"-19'8"	8.5 bu	8	12	93	\$11 780
4175	PS 500 M1 (elekt)	3'4"-19'8"	14.2 bu	8	12	93	\$9 285
4190	PS 500 M1 (hydr)	3'4"-19'8"	14.2 bu	8	12	123	\$13 885
4195	MDP 100 (elekt)	3'4"-14'9"	3 bu	6	12	30	\$3 830

*control box not included in seeder price

APV ES SEEDER MOUNTS	(SEEDER MOUNT) PRICE
HYBRO 3.0, 4.0, 5.0, 6.0, 8.0, /KUS/SPEC HD/TOP/GAL-K/SAL	\$95
MBS 6,0H, 7,2H	\$1 050
GAL-C H/TAL-C H foldable	\$155
GAL-C/TAL-C non-foldable	\$215

SP5 DELIMBE SEEDER MOUNTS	(SEEDER MOUNT) PRICE
TAL-C H foldable	\$195
KUS non-foldable/foldable	\$295
GAL-C/TAL-C non-foldable	\$295
TOP/SPEC HD foldable	\$295
HYBRO 3.0 MCB, 3.0, 4.0, 5.0, 6.0, 8.0	\$295
MBS 6,0H, 7,2H	\$1 050
GAL-C H/GAL-K foldable	\$440
TOP/SPEC HD non-foldable	\$550

APV ES OPTIONAL EQUIPLENT (SURCHARGE)	PRICE
Control box 1.2 (for PS & MDP models)	\$1 040
Control box 5.2 (requires additional sensor kit, for PS & MDP models)	\$1 960
Precision dispersion plate 3'-13' working width (ES models)	\$335
Sensor kit "Z" (lifting unit sensor + wheel speed sensor + splitter)	\$880
Sensor kit "K" for trailed machines (lifting unit sensor + wheel speed sensor + splitter + extension cord)	\$1 285
Sensor kit "K7" for trailed machines (lifting unit sensor + 7-pin signal cable + splitter + extension cord)	\$1 130
7-pin signal cable (position + speed)*	\$290
MT2 carrier	\$8 275

APV PS	(SEEDER MOUNT) PRICE	
HYBRO 3.0, 4.0, 5.0, 6.0, 8.0	\$245	\$1 010
HYBRO 3.0 m with MCB roller	\$245	\$1 405
MBS 6,0H, 7,2H	\$1 050	
GAL-C/TAL-C/KUS/TOP/SPEC HD non-foldable	\$505	
GAL-K/TAL-K	\$550	\$1 655
KUS H/SPEC HD/TOP H foldable	\$550	
GAL-C H/TAL-C H foldable	\$615	\$1 655


** platform has an integrated seeder mount





GRASSLAND & IMPLEMENTS





21" STAR WHEELS WITH SPRING PRELOAD

PROTECTION SCREEN (OPTION)

HYDRAULIC FOLDING

ADJUSTABLE STRUTS

SLEEVED HEADSTOCK

ADJUSTABLE SUPORTS

EKO-WIR 6,2 H



PROTECTION SCREEN (OPTION)



WHEEL SPRING PRESSURE




TWO ROWS OF STAR WHEELS

#	EKO-WIR							
		WIDTH		D	PC	HP	LB	PRICE
1000	EKO-WIR 6,2 H	6,2 H	+	21"	72	90	1260	\$28 465

OPTIONAL EQUIPMENT (SURCHARGE)	
Stone protection	\$1 065
Support wheels 18x9,50-84 PR ST 52 (set)	\$1 590
LED lights	\$710

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.



CULTIVATOR WORKING DEPTH REAR ADJUSTMENT

SLIDES

DUAL SERVOMOTOR FOLDING

3/8" SPRING TINES

CAST IRON OR DUCTILE IRON (SFERO) STARS

HYBRO 6,0H




#	HYBRO							
		WIDTH		PC	PC	HP	LB	PRICE
6315	HYBRO 3,0	9'11" (3.00m)	-	26	28	40	610	\$5 295
6315 C	HYBRO 3,0m + MCB	9'11" (3.00m)	-	26	28	65	1376	\$10 160
6310	HYBRO 4,0 H	13'1" (4.00m)	+	41	41	50	1060	\$10 515
6300	HYBRO 6,0 H	19'8" (6.00m)	+	59	61	65	1270	\$12 430
6305	HYBRO 8,0 H	26'3" (8.00m)	+	77	80	85	1635	\$14 340

#	HYBRO SFERO							
		WIDTH		PC	PC	HP	LB	PRICE
6315 S	HYBRO 3,0 SFERO	9'11" (3.00m)	-	26	28	40	610	\$5 500
6315 CS	HYBRO 3,0 SFERO + MCB	9'11" (3.00m)	-	26	28	65	1376	\$10 370
6310 S	HYBRO 4,0 H SFERO	13'1" (4.00m)	+	41	41	50	1060	\$10 810
6300 S	HYBRO 6,0 H SFERO	19'8" (6.00m)	+	59	61	65	1270	\$12 805
6305 S	HYBRO 8,0 H SFERO	26'3" (8.00m)	+	77	80	85	1635	\$14 815

OPTIONAL EQUIPLENT (SURCHARGE)	3,00	4,00	5,00	6,00
LED lights			\$710	

Attention! Mechanical lockout included in all foldable machines in basic price.
Option prices do not apply as a spare part prices. Possible surcharge for packaging.

Seeders and seeder brackets - page 90
Option descriptions & pictures - page 106-113
Detailed information about the options and their application can be found at www.mandam.com.pl



ADJUSTABLE TINE ANGLE

SUPPORT WHEELS

5/16" SPRING TINE

EKO-FINGER 12,0 H



#	EKO-FINGER							
		WIDTH		PC	PC	HP	LB	PRICE
2900	EKO-FINGER 6,0 H	6,0H	+	120	+	85	750	\$10 040
2905	EKO-FINGER 8,0 H	8,0H	+	156	+	110	1020	\$12 710
2910	EKO-FINGER 12,0 H	12,0H	+	240	+	130	1850	\$21 625

OPTIONAL EQUIPLENT (SURCHARGE)	
LED lights	\$710

Attention! The basic price does not include the roller. Basic price includes Hydraulic-mechanical transport lockout (HBS). Option prices do not apply as a spare part prices. Possible surcharge for packaging.



TINE ANGLE
HYDRAULIC
ADJUSTMENT

LED LIGHTS (OPTION)

30" UNDER FRAME CLEARANCE

5/8" SPRING TINE

MBS 7,2 H



#	MBS						
		WIDTH	PC	HP	LB	PRICE	
4110	MBS 6,0 H	H	19'8" (6.00m)	50	80	\$19 020	
4115	MBS 7,2H	H	23'7" (7.20m)	60	95	\$22 195	

OPTIONAL EQUIPMENT (SURCHARGE)		6,0	7,3
Disc coulters section		\$7 030	\$8 205
Support wheels 18x9,50-84 PR ST 52 (set)			\$1 590
LED lights			\$710





MCH



MLK



MNP



MCK

IMPLEMENTS



ML



#	MCH				
		PC	PC	LB	PRICE
1300	MCH	1	0,80 - 1,60	210	\$2 215

#	MCK					
		WIDTH	PC	PC	LB	PRICE
2300	MCK 1,6	5'3" (1.60m)	8	2	246	\$3 695
2310	MCK 1,8	5'11" (1.80m)	9	2	278	\$3 940
2315	MCK 2,0	6'7" (2.00m)	10	2	298	\$4 165

#	MLK					
		WIDTH	M ³	PC	LB	PRICE
1205	MLK 1,6	5'3" (1.60m)	17.6	2	342	\$4 265

#	MNP						
		WIDTH	L/W/H	LB	PC	LB	PRICE
0900	MNP 1235 A	48.6"	39"/3"/1.6"	2645	2	148	\$1 605
0910	MNP 1235 C	48.6"	47"/4"/1.6"	3527	2	178	\$1 700
0900	MNP 1450 A	57"	39"/3"/1.6"	2645	4	162	\$1 790
0910	MNP 1450 C	57"	47"/4"/1.6"	3527	4	192	\$1 885

#	ML				
		WIDTH	CU FT	LB	PRICE
1120	ML 1,2	3'11" (1.20m)	12.3	118	\$1 210
1125	ML 1,4	4'7" (1.40m)	14.1	186	\$1 230
1100	ML 1,6	5'3" (1.60m)	15.9	218	\$1 300
1105	ML 1,8	5'11" (1.80m)	17.6	228	\$1 390
1110	ML 2,0	6'7" (2.00m)	19.4	248	\$1 490
1115	ML 2,2	7'3" (2.20m)	21.2	268	\$1 710

OPTIONAL EQUIPMENT (SURCHARGE)	
3-point coupling	\$100
SMS coupling*	\$60
MNITOU coupling*	\$260
39" long MNP straight tines (pc)	\$165

* available for min. 5 pcs orders





OPTIONAL EQUIPMENT



OPTIONAL EQUIPMENT CULTIVATORS



SHARE POINT H

More aggressive than the standard one. Thicker, harder and tougher. Recommended for no-till cultivation in medium soil conditions



SHARE POINT DHD

The custom diamond shaped surface, extra thickness, additional carbide plates. Two hole fixing provides an exceptional performance in hardest soil conditions.



SWEEP

Provides an effective undercut across the entire working width




SHARE POINT DX

The share point with a carbide plate provides an exceptional durability and longlivity. Recommended for tough condition no-till cultivation



REVERSIBLE SHARE POINT 40MM

Recommended for no-till work in tough and dry conditions. To be used with no wing shares installed.



ALL-X SHARE

For a medium depth (up to 6") cultivation. The aggressive tough wearing part with an additional carbide plate.



HITCH BAR

Allows quick and easy coupling



BORDER DISCS

Used to prevent soil to be thrown sideways, and eliminate a side furrows.



ADDITIONAL INNER SPRING

Increases tine release force - recommended in stony and clay conditions



HYDRAULIC WORKING DEPTH ADJUSTMENT (HRGP)

Allows an effortless and a quick depth adjustment. Recommended for large machines.



TRANSPORT CHASSIS

An easy transportation with a minimal tractor fatigue. Recommended for a smaller tractors and long transport routes.



DISC SECTION WITH RUBBER SUSPENSION

Thanks to the rubber dampers, the discs react to the resistance of larger stones in the soil. In addition, the adjustment of the working depth of the discs based on turnbuckles greatly facilitates the correct setting of the machine.

OPTIONAL EQUIPMENT **SULBOILERS & CHISEL PLOUGH OPTIONS**



DRAIN WEIGHT WITH A CHAIN (PC)

Creates a drain channel at given working depth. Provides a better air/water circulation across all soil layers.



HEAT TREATED SHAREPOINTS

The boron steel heat treated sharepoints provide an extra longevity.



OFFSET-SHARE POINT ASSEMBLY (PC)

Provides a wide undercutting area with an exceptional aeration. Recommended for plough pan breaking.



NARROW SHARE POINT (PC)

Narrow, aggressive share point for low soil resistance at great depth



HEAVY DUTY SHAREPOINTS

Solid construction, advanced materials, exceptional durability, carbide heads. Recommended for the most difficult conditions and large hectares.



FOLDABLE SIDE SPIKE ROLLERS

A set of foldable side spike rollers for working width extension. Used to prevent soil to be thrown sideways, and eliminate side furrows. Recommended for all 7-tines chisel ploughs.

KNIFE BLADE ROLLERS



TOP COVER PLATE

A set of top protection covers for a knife blade rollers. Recommended for a high speed operation.



SPECIAL KNIVES

Optional, oblique shape knives provide a better operation in hard conditions.



DIAGONAL KNIVES

Most aggressive blades in our offer, installed on an increased diameter rollers. Recommended for the toughest conditions i.e. maize, sunflower, rape.

OPTIONAL EQUIPMENT DISC HARROWS



SHALLOW DISC WITH HUB SPACERS

An option for a special conditions which may cause disc clog due to large amount of post harvest remains, large soil stickness, and similliar. Decreased disc depth (2" instead standard 3") & additional 7/8" hub disc spacer, allow easy material flow.



STONE PROTECTION PLATE (SET)

The set of stone protection plates mounted to each hub unit. Prevent stones from wedging between a hub and a disc.



BOLTED DISC HUBS (SET)

The modification of our famous 5-year warranty maintenance free hub. Bolted version allows fast and inexpensive hub replacement, when times matters. Designed for demanding customers.



HYDRAULIC WORKING DEPTH ADJUSTMENT (HRGP)

Allows effortless and quick depth adjustment. Recommended for large machines.



MIDDLE SOLID SCREEN (ES)

Adjustable solid screen limits the throwing of crop residues over the second bank of discs.



SKAN CULTIVATOR

Skan adjustable tine cultivator. Perfect for levelling a field surface.




**SUPPORT WHEELS
10/80-12"**

A set of front adjustable support wheels stabilize machine during work and help to maintain given working depth. Recommended for wide machines.



HITCH DAMPING

A set of hydraulic cylinder and a hydro accumulator with a very simple adjustment. Decreases machine vibrations, and other unwanted side movements on uneven surface. Recommended for large trailed machines.



MUD FENDERS

Adjustable, fit all size wheels. Obligatory in several countries.




**620/40-22,5"
OVERSIZE WHEELS**

Recommended for heavy machine configuration. They offer great transport stability and low ground pressure



BALL HITCH K80

An option available for trailed machinery. Recommended for large, heavy units.



**MIDDLE TINE
SCREEN (EA)**

The adjustable tine guard reduces the discharge of crop residues onto the second bank of discs.

OPTIONAL EQUIPMENT ROLLERS



21" TUBULAR ROLLER

Recommended for light and medium soil



24" TUBULAR ROLLER

Recommended for light and medium soil



21" TUBULAR ROLLER + 16" STRING ROLLER

A combination of a tubular and a following string rollers. Recommended for a medium and a compact soil.



24" T-RING ROLLER

A ring roller recommended for heavy, stony and lumpy soil. It offers a perfect crumbling of the surface, while leaving grooves on a field's surface.



24" V-RING ROLLER

Recommended for medium and heavy soil. Good crumbling and pressing action. Creates grooves on a field's surface – good for water penetration.



24" V-RING ROLLER WITH PADDLES

Recommended for medium and heavy soil. Good crumbling and pressing action. Creates grooves on a field's surface – good for water penetration. Additional paddles provide some extra crushing action.



24" C-RING ROLLER

Recommended for medium and heavy soil. Offering soil-to-soil action. Creates grooves on a field's surface – good for water penetration.



24" C-RING TANDEM ROLLER

Recommended for medium and heavy soil. Offering soil-to-soil action. Creates grooves on a field's surface – good for water penetration. Due to large contact area, it is offering exceptional working depth control when aggregated with a large and heavy machines.



24" C-RING TANDEM HD ROLLER

Standard C-ring rims welded to the oversized axle design for additional toughness. Recommended for toughest conditions.



24" PACKER ROLLER

Recommended for medium and heavy soil. Exceptional crumbling and pressing action. Very aggressive, ideal for pre-sowing cultivation.



20" RUBBER ROLLER

Good for a reduced tillage operations. Great soil compression due to large pressing area.



24" DISC ROLLER

This roller is designed for heavy conditions. Due to heavy weight roller presses crop residues into the soil, and covers those with earth, while leveling the ground at the same time.

OPTIONAL EQUIPMENT **ROLLERS**



22" SPRING ROLLER

Each roller ring is built of 4 independent springs, thanks to which the wheels fall into a characteristic vibration, which ensures better compaction and leveling of the ground even in difficult cultivation conditions

TINE CULTIVATOR KIT (BEAMS & HOLDERS) WEIGHT (LB)

**Tine cultivator in front of roller
(BPPW)**

2'11"	4'3"	6'7"	7'3"	8'6"	9'11"	11'6"	12'6"	15'9"	18'4"	13'1"	14'9"	16'5"	19'8"	26'3"	32'10"	39'4"
(0.9 M)	(1.3 M)	(2 M)	(2.2 M)	(2.6 M)	(3 M)	(3.5 M)	(3.8 M)	(4.8 M)	(5.6 M)	(4 M)	(4.5 M)	(5 M)	(6 M)	(8 M)	(10 M)	(12 M)
126	134	148	185	212	229	256	437	481	498	370	289	423	459	741	847	917



Seasons and levels the soil in front of the roller, thanks to which the roller rolls on an even surface. This does not introduce the machine into additional vibrations. Recommended for pre-sowing crops

**Tine cultivator behind roller
(BPZW)**

2'11"	4'3"	6'7"	7'3"	8'6"	9'11"	11'6"	12'6"	15'9"	18'4"	13'1"	14'9"	16'5"	19'8"	26'3"	32'10"	39'4"
(0.9 M)	(1.3 M)	(2 M)	(2.2 M)	(2.6 M)	(3 M)	(3.5 M)	(3.8 M)	(4.8 M)	(5.6 M)	(4 M)	(4.5 M)	(5 M)	(6 M)	(8 M)	(10 M)	(12 M)
146	165	170	205	231	249	276	496	540	580	141	311	463	498	820	926	996



Seasons and levels the soil behind the roller. Recommended for pre-sowing crops

ROLLER WEIGHTS

Roller + frame + bearings + scraper (when applies).
Roller arms are not included (they are added to machine's weight).

	2'11" (0.9 M)	4'3" (1.3 M)	6'7" (2 M)	7'3" (2.2 M)	8'6" (2.6 M)	9'11" (3 M)	11'6" (3.5 M)	12'6" (3.8 M)	15'9" (4.8 M)	18'4" (5.6 M)	13'1" (4 M)	14'9" (4.5 M)	16'5" (5 M)	19'8" (6 M)	26'3" (8 M)	32'10" (10 M)	39'4" (12 M)
21" Tubular roller	225	256	348	388	423	476	529	798	926	988	732	776	847	952	1552	1693	1905
24" Tubular roller	256	311	399	414	481	542	573	910	1054	1164	829	853	961	1085	1658	1922	2169
21" Tubular roller + 16" String roller	392	474	666	732	864	937	1102	1451	1722	1885	1411	1464	1728	1874	2928	3457	3748
24" T-ring roller	291	386	551	582	741	833	961	1133	1415	1605	1164	1219	1481	1667	2328	2963	3333
24" V-ring roller	260	353	507	595	644	697	794	1027	1217	1402	1014	1049	1287	1393	2028	2575	2787
24" V-ring roller with paddles	265	359	518	606	655	712	816	1047	1440	1431	1045	1071	1310	1424	2090	2619	2848
24" C-ring roller	317	386	562	653	847	913	1157	1197	1548	1684	1299	1305	1693	1825	2610	3386	3651
24" C-ring Tandem roller	386	463	741	800	939	1045	1290	1512	1817	1971	1508	1601	1878	2090	3201	3757	4180
24" C-ring Tandem HD roller	441	531	851	919	1047	1246	1481	1801	2127	2308	1764	1839	2094	2491	3404	4189	4982
22" Spring roller	331	397	728	794	882	1076	1146	1389	1737	1870	1473	1587	1764	2152	3175	3527	4303
24" Packer roller	353	496	683	741	820	988	1014	1389	1693	1980	1367	1481	1640	1975	2963	3280	3951
20" Rubber roller	485	739	882	952	1071	1221	1367	1852	2191	2698	1905	1960	2143	2443	3810	4286	4885
24" Disc roller	430	492	827	893	981	1146	1279	1687	2028	2152	1653	1786	1962	2337	3307	3924	4674

Detailed information about the options and their application can be found at www.mandam.com.pl